



















Overview - Valve Adaptors

Stand from 19.08.2011

Adaptor	Valve product	Flat version	High version	High version heating/cooling	High version for Protection-Cap	Closing measure A
VA 02	Velta Euroverteiler Velta (Uponor) proVario		 <p>VA 02 Part-No.: 108633 Thread : M30x1,5 (outside) Pin colour : <i>crimson (UN 3048)</i> Pin length : 28 Adaptor colour : <i>grey (UN 7053)</i></p>			17,00
VA 04	Beulco (before 2005)		 <p>VA 04 H Part-No.: 108642 Thread : M30x1,0 Pin colour : <i>light blue (UN 5025)</i> Pin length : 14 Adaptor colour : <i>grey (UN 7053)</i></p>	 <p>VA 04 HK Part-No.: 110945 Thread : M30x1,0 Pin colour : <i>light blue (UN 5025)</i> Pin length : 19 Adaptor colour : <i>blue (UN 7047)</i></p>	 <p>VA 04 H-SK Part-No.: on request Thread : M30x1,0 Pin colour : <i>light blue (UN 5025)</i> Pin length : 14 Adaptor colour : <i>grey (UN 7053)</i></p>	6,00
VA 08	Reich Valves		 <p>VA 08 H Part-No.: 108764 Thread : M30x1,0 Pin colour : <i>brown (UN 8051)</i> Pin length : 13,5 Adaptor colour : <i>grey (UN 7053)</i></p>		 <p>VA 08 H-SK Part-No.: on request Thread : M30x1,0 Pin colour : <i>brown (UN 8051)</i> Pin length : 13,5 Adaptor colour : <i>grey (UN 7053)</i></p>	6,50
VA 10	Dumser, Beulco (since 2005), Purmo, Oventrop (also Cocon, Hycoccon, Tri-D, Tri-M), Gampper, Strawa, Fränkische, Vesca (Metaplast), Wittingsthal, Frasa, Cronatherm (H), eht Siegmund, KaMo (H) before Sept. 2005, Aquatherm, Valvex brass-manifold, Thermtec Viega (stainless steel manifold), Tiemme, Sauter (VUT015 F210), Thermotech Sweden Bianchi valves (Serie 401T & 403T) Bianchi brass manifold (Serie 332T) Unipipe (ECO-Verteiler), CronaTech, KAN-Therm (stainless steel manifold), Siemens (Landis & Steafa) VPD 115A, Nereus (Valve DN20), Zehnder, Frese Optima Tour & Andersson (Typ: TBV-CM, TBV-CMP)	 <p>VA 10 Part-No.: 108478 Thread : M30x1,5 Adaptor colour : <i>light grey (UN 7019)</i></p>	 <p>VA 10 H Part-No.: 108641 Thread : M30x1,5 Pin colour : <i>light grey (UN 7019)</i> Pin length : 9 Adaptor colour : <i>grey (UN 7053)</i></p>	 <p>VA 10 HK Part-No.: 110937 Thread : M30x1,5 Pin colour : <i>light grey (UN 7019)</i> Pin length : 14 Adaptor colour : <i>light blue (UN 55088)</i></p>	 <p>VA 10 H-SK Part-No.: 114256 Thread : M30x1,5 Pin colour : <i>light grey (UN 7019)</i> Pin length : 9 Adaptor colour : <i>grey (UN 7053)</i></p>	11,00










Overview - Valve Adaptors

Stand from 19.08.2011

Adaptor	Valve product	Flat version	High version	High version heating/cooling	High version for Protection-Cap	Closing measure A
VA 13	Albert, ThermoLutz, Aquatherm (Variomat till approx. 1993)		 <p>VA 13 H Part-No.: 116550 Thread : M30x1,5 Pin colour : black Pin length : 8,5 Adaptor colour : white (RAL 9010) Adaptor is extra high (+3mm)</p>		 <p>VA 13 H-SK Part-No.: on request Thread : M30x1,5 Pin colour : black Pin length : 8,5 Adaptor colour : white (RAL 9010) Adaptor is extra high (+3mm)</p>	14,50
VA 16	Herz Polytherm (H) KAN-Therm (brass manifold) Thermoval Buderus	 <p>VA 16 Part-No.: 108468 Thread : M28x1,5 Adaptor colour : red (UN 3004)</p>	 <p>VA 16 H Part-No.: 108636 Thread : M28x1,5 Pin colour : red (UN 3004) Pin length : 11,75 Adaptor colour : grey (UN 7053)</p>	 <p>VA 16 HK Part-No.: 110948 Thread : M28x1,5 Pin colour : red (UN 3004) Pin length : 16,75 Adaptor colour : dark blue (UN 5023)</p>	 <p>VA 16 H-SK Part-No.: on request Thread : M28x1,5 Pin colour : red (UN 3004) Pin length : 16,75 Adaptor colour : dark blue (UN 5023)</p>	8,25
VA 17	MMA (EDVH 25, FVXR 15, VXR 20) ICMA (BAS)	 <p>VA 17 Part-No.: 110611 Thread : M28x1,5 Adaptor colour : white (RAL 9010)</p>				11,50
VA 18	Honeywell & Braukmann with high threaded projection (normally VA 50) (only straight-way valves with a stroke of 2.5 mm)	 <p>VA 18 Part-No.: 112486 Thread : M30x1,5 Adaptor colour : light blue (UN 5029)</p>				10,50









Overview - Valve Adaptors

Stand from 19.08.2011

Adaptor	Valve product	Flat version	High version	High version heating/cooling	High version for Protection-Cap	Closing measure A
VA 19	Deca Viega brass manifold (till May 2007)		 <p>VA 19 H Part-No.: 108775 Thread : M30x1,5 Pin colour : brown (UN 8051) Pin length : 13,5 Adaptor colour : grey (UN 7053)</p>		 <p>VA 19 H-SK Part-No.: on request Thread : M30x1,5 Pin colour : brown (UN 8051) Pin length : 13,5 Adaptor colour : grey (UN 7053)</p>	6,50
VA 20	Schlösser (before 1993) Viega brass manifold (as of May 2007)		 <p>VA 20 H Part-No.: 109935 Thread : M30x1,5 Pin colour : yellow (UN 1069) Pin length : 13 Adaptor colour : grey (UN 7053)</p>		 <p>VA 20 H-SK Part-No.: on request Thread : M30x1,5 Pin colour : yellow (UN 1069) Pin length : 13 Adaptor colour : grey (UN 7053)</p>	7,00
VA 21	Conec		 <p>VA 21 H Part-No.: 108763 Thread : M30x1,5 Pin colour : blue (UN 5047) Pin length : 14,5 Adaptor colour : grey (UN 7053)</p>		 <p>VA 21 H-SK Part-No.: on request Thread : M30x1,5 Pin colour : blue (UN 5047) Pin length : 14,5 Adaptor colour : grey (UN 7053)</p>	5,50
VA 26	Giacomini Giacomini Angle valve (H)	 <p>VA 26 Part-No.: 108474 Adaptor colour : grey (UN 7053)</p>	 <p>VA 26 H Part-No.: 109322 Thread : M30x1,5 Pin colour : light blue (UN 5025) Pin length : 14 Adaptor colour : grey (UN 7053) with additional Adaptor Giacomini</p>		 <p>VA 26 H-SK Part-No.: on request Thread : M30x1,5 Pin colour : light blue (UN 5025) Pin length : 14 Adaptor colour : grey (UN 7053) with additional Adaptor Giacomini</p>	4,20













Overview - Valve Adaptors

Stand from 19.08.2011

Adaptor	Valve product	Flat version	High version	High version heating/cooling	High version for Protection-Cap	Closing measure A
VA 28	Honeywell & Braukmann with high threaded projection (normally VA 50) (3-way & 4-way valves)	 <p>VA 28 Part-No.: 119861 Thread : M30x1,5</p> <p>Adaptor colour : red (UN 3004)</p>				11,50
VA 30	FAR (till 2007) Danfoss Valves VZL2 & VZL4		 <p>VA 30 H Part-No.: 108901 Thread : M30x1,5 Pin colour : dark blue (UN 5023) Pin length : 11 Adaptor colour : light grey (UN 7002)</p>	 <p>VA 30 HK Part-No.: 110942 Thread : M30x1,5 Pin colour : dark blue (UN 5023) Pin length : 16 Adaptor colour : light blue (UN 55088)</p>	 <p>VA 30 H-SK Part-No.: on request Thread : M30x1,5 Pin colour : dark blue (UN 5023) Pin length : 11 Adaptor colour : light grey (UN 7002)</p>	9,00
VA 32	Tour & Andersson Nereus Type 9440 (Angle valve)	 <p>VA 32 Part-No.: 108467 Thread : M28x1,5</p> <p>Adaptor colour : light green (UN 6026)</p>		 <p>VA 32 HK Part-No.: 110949 Thread : M28x1,5 Pin colour : light green (UN 6026) Pin length : 17,25 Adaptor colour : dark blue (UN 5023)</p>		7,75
VA 33	Wirsbo Canada	 <p>VA 33 Part-No.: 109429 Thread : M28x1,5</p> <p>Adaptor colour : light grey (UN 7019)</p>		 <p>VA 33 HK Part-No.: 110946 Thread : M28x1,5 Pin colour : dark grey (UN 7028) Pin length : 15 Adaptor colour : dark blue (UN 5023)</p>		10,00












Overview - Valve Adaptors

Stand from 19.08.2011

Adaptor	Valve product	Flat version	High version	High version heating/cooling	High version for Protection-Cap	Closing measure A
VA 34	Pintossi		 <p>VA 34 H Part-No.: 109316 Thread : M26x1,5 Pin colour : light grey (UN 7002) Pin length : 9,5 Adaptor colour : grey (UN 7053)</p>	 <p>VA 34 HK Part-No.: 111610 Thread : M26x1,5 Pin colour : light grey (UN 7002) Pin length : 14,5 Adaptor colour : light blue (UN 55088)</p>	 <p>VA 34 H-SK Part-No.: on request Thread : M26x1,5 Pin colour : light grey (UN 7002) Pin length : 9,5 Adaptor colour : grey (UN 7053)</p>	10,50
VA 35	Oras (Straight-way valve)		 <p>VA 35 H Part-No.: 123491 Thread : M26x1,5 Pin colour : Pin length : Adaptor colour : grey (UN 7053)</p>		 <p>VA 35 H-SK Part-No.: on request Thread : M26x1,5 Pin colour : Pin length : Adaptor colour : grey (UN 7053)</p>	18,75
VA 39	Oventrop (before 1997)	 <p>VA 39 Part-No.: 108471 Thread : M30x1,0 Adaptor colour : white (RAL 9010)</p>	 <p>VA 39 H Part-No.: 108638 Thread : M30x1,0 Pin colour : light grey (UN 7002) Pin length : 9,5 Adaptor colour : grey (UN 7053)</p>	 <p>VA 39 HK Part-No.: 110944 Thread : M30x1,0 Pin colour : light grey (UN 7002) Pin length : 14,5 Adaptor colour : blue (UN 5047)</p>	 <p>VA 39 H-SK Part-No.: 113127 Thread : M30x1,0 Pin colour : light grey (UN 7002) Pin length : 9,5 Adaptor colour : grey (UN 7053)</p>	10,50
VA 41	Aquatechnik Italien (2007 till 2009) Empur Danfoss AB-QM (DN10 - DN20)	 <p>VA 41 Part-No.: 110501 Thread : M30x1,5 Adaptor colour : dark green (UN6090)</p>	 <p>VA 41 H Part-No.: 112447 Thread : M30x1,5 Pin colour : dark green Pin length : 10,5 Adaptor colour : light grey (UN 7002)</p>		 <p>VA 41 H-SK Part-No.: on request Thread : M30x1,5 Pin colour : dark green Pin length : 10,5 Adaptor colour : light grey (UN 7002)</p>	9,50









Overview - Valve Adaptors

Stand from 19.08.2011

Adaptor	Valve product	Flat version	High version	High version heating/cooling	High version for Protection-Cap	Closing measure A
VA 44	Cazzaniga (old)		 <p>VA 44 H Part-No.: 109625 Thread : M32x1,5 (outside) Pin colour : crimson (UN 3048) Pin length : 20,5 Adaptor colour : grey (UN 7053)</p>			
VA 50	Honeywell & Braukmann Siemens VDN 215, Spartan-Valve V240 Johnson Controls (VG6210EC & VG6510EC) Böhnisch/SBK (as of 1998) Cazzaniga, Reich, MNG (as of 1998) Frese, Schütz, Gampfer (Type: Vario C) Landis & Gyr, Seppelfricke KaMo (as of Sept. 2005), Cufix FAR (as of 2007), Pantherm, Unicor Sauter (VXL F220) (BUT015 F410) Sauter (BUT010 F400) (BUT015 F210) Broen (Type: Ballorex Dynamic)	 <p>VA 50 Part-No.: 108477 Thread : M30x1,5 Adaptor colour : dark grey (UN 7028)</p>	 <p>VA 50 H Part-No.: 108639 Thread : M30x1,5 Pin colour : dark grey (UN 7028) Pin length : 10 Adaptor colour : grey (UN 7053)</p>	 <p>VA 50 HK Part-No.: 110749 Thread : M30x1,5 Pin colour : dark grey (UN 7028) Pin length : 15 Adaptor colour : light blue (UN 55088)</p>	 <p>VA 50 H-SK Part-No.: 113073 Thread : M30x1,5 Pin colour : dark grey (UN 7028) Pin length : 10 Adaptor colour : grey (UN 7053)</p>	10,00
VA 53	Johnson Controls Type VG5200CC		 <p>VA 53 H Part-No.: 120384 Thread : M28x1,5 Pin colour : light grey (UN 7019) Pin length : 9 Adaptor colour : grey (UN 7053)</p>		 <p>VA 53 H-SK Part-No.: on request Thread : M28x1,5 Pin colour : light grey (UN 7019) Pin length : 9 Adaptor colour : grey (UN 7053)</p>	11,00
VA 54	MMA Tour & Andersson Valve RVT-K (around '92)	 <p>VA 54 Part-No.: 108469 Thread : M28x1,5 Adaptor colour : dark blue (UN 5023)</p>	 <p>VA 54 H Part-No.: 108637 Thread : M28x1,5 Pin colour : dark blue (UN 5023) Pin length : 11 Adaptor colour : grey (UN 7053)</p>	 <p>VA 54 HK Part-No.: 110947 Thread : M28x1,5 Pin colour : dark blue (UN 5023) Pin length : 16 Adaptor colour : dark blue (UN 5023)</p>	 <p>VA 54 H-SK Part-No.: 118008 Thread : M28x1,5 Pin colour : dark blue (UN 5023) Pin length : 11 Adaptor colour : grey (UN 7053)</p>	9,00










Overview - Valve Adaptors

Stand from 19.08.2011

Adaptor	Valve product	Flat version	High version	High version heating/cooling	High version for Protection-Cap	Closing measure A
VA 55	MMA (Type: FVXR 15) Johnson Controls (Type: VG5410EC, VG5800CC, VG5400CC)		 <p>VA 55 H Part-No.: 111136 Thread : M28x1,5 Pin colour : <i>black</i> Pin length : 8,5 Adaptor colour : <i>grey (UN 7053)</i></p>		 <p>VA 55 H-SK Part-No.: on request Thread : M28x1,5 Pin colour : <i>black</i> Pin length : 8,5 Adaptor colour : <i>grey (UN 7053)</i></p>	11,50
VA 57	Gripp Orkli		 <p>VA 57 H Part-No.: 113474 Thread : M28x1,0 Pin colour : <i>black</i> Pin length : 8,5 Adaptor colour : <i>white (RAL 9010)</i> Adaptor is extra high (+2.7mm)</p>		 <p>VA 57 H-SK Part-No.: on request Thread : M28x1,0 Pin colour : <i>black</i> Pin length : 8,5 Adaptor colour : <i>white (RAL 9010)</i> Adaptor is extra high (+2.7mm)</p>	14,20
VA 59	Danfoss RAV/L	 <p>VA 59 Part-No.: 109566 Adaptor colour : <i>light grey (UN 7019)</i> Flange diameter: approx. 25,5mm</p>	 <p>VA 59 H Part-No.: 111734 Thread : M30x1,5 Pin colour : <i>light grey (UN 7019)</i> Pin length : 9 Adaptor colour : <i>grey (UN 7053)</i> Flange diameter: approx. 25,5mm</p>		 <p>VA 59 H-SK Part-No.: 117694 Thread : M30x1,5 Pin colour : <i>light grey (UN 7019)</i> Pin length : 9 Adaptor colour : <i>grey (UN 7053)</i> Flange diameter: approx. 25,5mm</p>	
VA 60	Meges Magra (old)		 <p>VA 60 H Part-No.: 118402 Thread : M38x1,5 Pin colour : <i>crimson</i> Pin length : 22 Adaptor colour : <i>grey (UN 7053)</i></p>			







Overview - Valve Adaptors

Stand from 19.08.2011

Adaptor	Valve product	Flat version	High version	High version heating/cooling	High version for Protection-Cap	Closing measure A
VA 61	Ondal Oreg	 <p>VA 61 Part-No.: 111758 Thread : M38x1,5 Adaptor colour : grey (UN 7053)</p>	 <p>VA 61 H Part-No.: 111412 Thread : M38x1,5 Pin colour : brown Pin length : 15,5 Adaptor colour : grey (UN 7053)</p>			
VA 62	Universa (as of 1999)		 <p>VA 62 H Part-No.: 111100 Thread : M30x1,5 Pin colour : orange (UN 2002) Pin length : 11,5 Adaptor colour : grey (UN 7053)</p>		 <p>VA 62 H-SK Part-No.: on request Thread : M30x1,5 Pin colour : orange (UN 2002) Pin length : 11,5 Adaptor colour : grey (UN 7053)</p>	8,50
VA 63	Emmeti (old) Danfoss AH-QM	 <p>VA 63 Part-No.: 124990</p>	 <p>VA 63 H Part-No.: 108915 Thread : M30x1,5 Pin colour : red (UN 3004) Pin length : 11,75 Adaptor colour : grey (UN 7053)</p>	 <p>VA 63 HK Part-No.: 110943 Thread : M30x1,5 Pin colour : red (UN 3004) Pin length : 16,75 Adaptor colour : light blue (UN 55088)</p>	 <p>VA 63 H-SK Part-No.: on request Thread : M30x1,5 Pin colour : red (UN 3004) Pin length : 11,75 Adaptor colour : grey (UN 7053)</p>	8,25
VA 66	Industrietechnik Italien	 <p>VA 66 Part-No.: 122028 Thread : M30x1,5 without Pin guidance Adaptor colour : grey (UN 7053)</p>				12,50











Overview - Valve Adaptors

Stand from 19.08.2011

Adaptor	Valve product	Flat version	High version	High version heating/cooling	High version for Protection-Cap	Closing measure A
VA 70	Comap (M28x1,5) Universa (before 1999)		 <p>VA 70 H Part-No.: 108643 Thread : M28x1,5 Pin colour : yellow (UN 1069) Pin length : 13 Adaptor colour : grey (UN 7053)</p>		 <p>VA 70 H-SK Part-No.: 108643 Thread : M28x1,5 Pin colour : yellow (UN 1069) Pin length : 13 Adaptor colour : grey (UN 7053)</p>	7,00
VA 72	Danfoss RAV		 <p>VA 72 H 8-B64-72-001 Thread : M30x1,5 Pin colour : light grey (UN 7002) Pin length : 9,5 Adaptor colour : light grey (UN 7019) Flange diameter: approx. 34mm</p>			
VA 76	Danfoss RTD-N (complete valve)	 <p>VA 76 Part-No.: 123461 Thread : M30x1,5 Body 'extra-high' turned Adaptor colour : white (RAL 9010)</p>				20,00
VA 78	Danfoss RA Oventrop flanges (Type: V3D, GD & GDF) Jaga flange-valves		 <p>VA 78 Part-No.: 108635 Flange diameter: approx. 23mm Adaptor colour : white (RAL 9010)</p>		 <p>VA 78-SK Part-No.: 113141 Adaptor colour : white (RAL 9010)</p>	28,80








Overview - Valve Adaptors

Stand from 19.08.2011

Adaptor	Valve product	Flat version	High version	High version heating/cooling	High version for Protection-Cap	Closing measure A
VA 79	Danfoss RTD-G (Valve inserts)		 <p>VA 79 Part-No.: 116919 Thread : M30x1,5 drilled, without Pin guidance Adaptor colour : white (RAL 9003)</p>			24,50
VA 80	Heimeier, Herb, Onda, IVAR, Thermoval MNG (as of 1998), Schlösser (as of 1993) Mair (ab 1998), Kermi, Frank (as of 2003) Oventrop (Type: Cocon Q, uni LH, V3K) Multiblock (as of 1997), BHS Manifold Athe-Therm (brass till Feb. 2005) Athe-Therm (stainless steel), Tour & Andersson (as of 1999), Jupiter Böhnisch/SBK (as of 1998), Simplex, RBM, Taco, Emmeti, Remo, Cosmo Delphis-Therm, GC-Verteiler, Cuprotherm Caleffi Verteiler Serie 670 (Plastic) Wieland, Caleffi valve, Cazzaniga angle-valve Honeywell (Type: V9050), SKV Verteiler Sauter (VXL F200 & F210)(BXL F200 & F210) Sauter (BUT010 F410), Roth, Watts Aquatechnik Italien (before 2007 & as of 2009) EQ-Therm, Johnson-Controls (Type: V5210KC, V5510KC), Brugman, TKM Bianchi 662 (1-way), 663 & 664 (3-way) Bianchi 4-way-valve Jaga, Gomacal Nereus angle valve DN 10, Strasshofer	 <p>VA 80 Part-No.: 108472 Thread : M30x1,5 Adaptor colour : light grey (UN 7002)</p>	 <p>VA 80 H Part-No.: 108640 Thread : M30x1,5 Pin colour : light grey (UN 7002) Pin length : 9,5 Adaptor colour : grey (UN 7053)</p>	 <p>VA 80 HK Part-No.: 110743 Thread : M30x1,5 Pin colour : light grey (UN 7002) Pin length : 14,5 Adaptor colour : light blue (UN 55088)</p>	 <p>VA 80 H-SK Part-No.: 112986 Thread : M30x1,5 Pin colour : light grey (UN 7002) Pin length : 9,5 Adaptor colour : grey (UN 7053)</p>	10,50
VA 81	Kermi, Arbonia, Dia-Therm, Viessmann (radiators & compact radiators with integrated valves) Strawa stainless steel manifold (as of 2003)		 <p>VA 81 H Part-No.: 109651 Thread : M30x1,5 Pin colour : light green (UN 6026) Pin length : 12,25 Adaptor colour : white (RAL 9010) Adaptor is extra high (+3mm)</p>		 <p>VA 81 H-SK Part-No.: 115711 Thread : M30x1,5 Pin colour : light green (UN 6026) Pin length : 12,25 Adaptor colour : white (RAL 9010) Adaptor is extra high (+3mm)</p>	10,75
VA 90	Chemidro KWH Pipe Herz 3-way-valves (Art.: 1776380, 1776280, 1776350, 1776250 & 1776262) Athe-Therm (brass as of Feb. 2005) Roth DE (H) (Type: Universal HK2) Uponor stainless steel manifold SAS brass manifold Luxor Sauter (VUT010 F200 & F210 & F220)	 <p>VA 90 Part-No.: 108919 Thread : M30x1,5 Adaptor colour : crimson (UN 3048)</p>	 <p>VA 90H Part-No.: 118915 Thread : M30x1,5 Pin colour : orange (UN 2002) Pin length : 11,5 Adaptor colour : white (RAL 9010) Adaptor is extra high (+3mm)</p>		 <p>VA 90H-SK Part-No.: 123376 Thread : M30x1,5 Pin colour : orange (UN 2002) Pin length : 11,5 Adaptor colour : white (RAL 9010) Adaptor is extra high (+3mm)</p>	11,50

Overview - Valve Adaptors

Stand from 19.08.2011

Adaptor	Valve product	Flat version	High version	High version heating/cooling	High version for Protection-Cap	Closing measure A
VA 94	Rotex Lavagrund		 <p>VA 94 Part-No.: 108628 Thread : M30x1,0 Pin colour : <i>hellyellow (UN 1033)</i> Pin length : 19 Adaptor colour : <i>grey (UN 7053)</i></p>			-5,50
VA 95	Multitherm (Type: AquaHeat 76042 Prolock Deluxe)		 <p>VA 95 H Part-No.: 118534 Thread : M30x1,5 Pin colour : <i>dark grey (UN 7028)</i> Pin length : 10 Adaptor colour : <i>white (RAL 9010)</i> Adaptor is extra high (+3mm)</p>			13,00
VA 97	Temset		 <p>VA 97 Part-No.: 109582 Pin colour : <i>light blue (UN 5025)</i> Pin length : 14 Adaptor colour : <i>grey (UN 7053)</i></p>			7,20
Special adaptations	Adaptors from combinations of our valve adaptors with special adaptations made by Siemens	Staefa Type 4W10G10 (Flange) Combination:  VA 90 Part-No.: 108919 and adaptor AL 100 by Siemens (Part-No.: 113515): 	Vaillant (Flange) Combination:  VA 80 Part-No.: 108472 and adaptor AV 59 by Siemens (Part-No.: 11316): 			11,50